

Technical Information ETC-30 Solar Collector

International Version A11-01.2.1.1-PB-V4 - June 2015

Part Codes

ETC-30 Solar Collector Complete is comprised of: 1 x ETC-30-KIT (Manifold and standard frame)

3 x BOX-ET/HP-10/10 (Tubes and heat pipes)

Applications

The Apricus ETC-30 collector is designed to be used in a wide variety of solar thermal (heat) applications in almost any climate. The evacuated tube and heat pipe technology provides very efficient and reliable solar thermal production in a simple to install design.

Features

- Twin glass evacuated tube (passive solar tracking)
- · Freeze resistant heat pipes
- · Only 4 braze points, extremely reliable header design
- · Steam-back and drain-back compatible
- · Potable water certified copper header pipe
- Flared compressions fittings for reliable, leak free connections
- · Cyclone rated, corrosion resistant aluminium mounting frame
- 10 year limited warranty on tubes and heat pipes
- 15 year limited warranty on copper header and AL frame
- Efficient performance at high differential temperatures

Materials of Construction

Evacuated Tubes:	Borosilicate 3.3 Glass
Absorber:	Cu-AL/N-SS
Heat Pipes:	High purity copper
Heat Transfer Fins:	Aluminium
Rubber Components:	HTV Silicone Rubber
Mounting Frame:	6005-T5 Anodized Aluminium
	316 SS Fasteners
Manifold Casing:	3003 AL, PVDF coating

Performance Data

Recommended Flow Rate: 2 L/min Max Flow Rate: 15 I /min Peak Power Output: 2014 W Eta0: 0.714 * a1 (W/m²K): 1.243 * a2 (W/m²K²): 0.009 *

* Data from TUV report 154035663 for Solarkeymark certification.

Physical Specifications

Dimensions (LxWxH): Aperture Area: Gross Area: Gross Dry Weight: Fluid Capacity: Max Operating Pressure: Stagnation Temperature:

Certifications

Solarkeymark: AS/NZS 2712-2007: SRCC OG-100: USEC: NSF-61 Tested:


2005 x 2195 x136 mm 2.84 m² 4.4 m² 95 kg 790 ml 800 kPa 228°C

011-7S2323R 100633 10001909






Collector Performance (aperture area)



Pressure Drop



Sustainable HOT WATER Solutions, Delivered by APRICUS

Apricus Solar Co., Ltd

service@apricus.com www.apricus.com